


AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings of claims in the application:

Claims 1-14 (Canceled).

Claim 15 (Currently Amended): A process for hydroformylating olefins, comprising:
~~the reaction of~~ reacting a monoolefin or a monoolefin mixture having from 2 to 25 carbon atoms with a mixture of carbon monoxide and hydrogen in the presence of a heteroacylphosphite of general formula (1) or a corresponding complex with one or more metals of groups 4 to 10 of the Periodic Table of the Elements




(1)

~~where~~ wherein R¹, R², R³, R⁴ and q are the same or different and are each a substituted or unsubstituted aliphatic, alicyclic, aromatic, heteroaromatic, mixed aliphatic-alicyclic, mixed aliphatic-aromatic, heterocyclic, mixed aliphatic-heterocyclic hydrocarbon radical having from 1 to 70 carbon atoms, H, F, Cl, Br, I, -CF₃, -CH₂(CF₂)_jCF₃ ~~where~~ wherein j = 0-9, -OR⁵, -COR⁵, -CO₂R⁵, -CO₂M, -SiR⁵₃, -SR⁵, -SO₂R⁵, -SOR⁵, -SO₃R⁵, -SO₃M, -SO₂NR⁵R⁶, -NR⁵R⁶, -N=CR⁵R⁶,

~~where~~ wherein R⁵ and R⁶ are the same or different and are each as defined for R¹, and

M is an alkali metal, formally half an alkaline earth metal ion, an ammonium or phosphonium ion, x, y, z are each independently O, NR⁷, S, ~~where~~ wherein R⁷ is as defined

for q, and x, y, z are not simultaneously O, with the proviso that when q is a radical which has a structural formula (6c)



where wherein the R^1 to R^4 radicals are each as defined for formula (1), x^1 , y^1 , z^1 are each independently O, NR^7 , S, where wherein R^7 is as defined for q, T is an oxygen or an NR^{30} radical, where wherein R^{30} is as defined for q, and the a position serves as the attachment point,

x and x^1 must not simultaneously be N_2 and


x must not be N when T is NR^{30} .

Claim 16 (Currently Amended): The process as claimed in claim 15, ~~characterized in that~~ wherein the R^1 and R^2 , R^2 and R^3 and/or R^3 and R^4 radicals form a fused substituted or unsubstituted aromatic, heteroaromatic, aliphatic, mixed aromatic-aliphatic or mixed heteroaromatic-aliphatic ring system.

Claim 17 (Currently Amended): The process as claimed in claim 15, ~~characterized in that~~ wherein the q radical consists of the W-R radicals where wherein W is a divalent substituted or unsubstituted aliphatic, alicyclic, mixed aliphatic-alicyclic, heterocyclic, mixed aliphatic-heterocyclic, aromatic, heteroaromatic, mixed aliphatic-aromatic hydrocarbon radical having from 1 to 50 carbon atoms, and the R radical is $-OR^5$, $-NR^5R^6$, phosphite, phosphonite, phosphinite, phosphine or heteroacylphosphite of formula (6c), where wherein R^5 and R^6 are the same or different and are as defined for R^1 .

Claim 18 (Currently Amended): The process as claimed in claim 17, ~~characterized in that~~ wherein

W is a radical of general formula (2)




~~where~~ wherein $R^8, R^9, R^{10}, R^{11}, R^{12}, R^{13}, R^{14}$ and R^{15} are the same or different and are each as defined for R^1 ,

t is a divalent $CR^{16}R^{17}$, $SiR^{16}R^{17}$, NR^{16} , O or S radical, and R^{16} and R^{17} are each as defined for R^5 and R^6 , $n = 0$ or 1 and the a and b positions serve as attachment points.

Claim 19 (Currently Amended): The process as claimed in claim 18, ~~characterized in that~~ wherein in each case two adjacent R^9 to R^{15} radicals together form a fused substituted or unsubstituted, aromatic, heteroaromatic, aliphatic, mixed aromatic-aliphatic or mixed heteroaromatic-aliphatic ring system.

Claim 20 (Currently Amended): The process as claimed in claim 18, ~~characterized in that~~ wherein W is a radical of general formula (3):




~~where~~ wherein

R^{18} , R^{19} , R^{20} , R^{21} , R^{22} and R^{23} are the same or different and are each as defined for R^1 ,
 t is a divalent $CR^{16}R^{17}$, $SiR^{16}R^{17}$, NR^{16} , O or S radical, and R^{16} and R^{17} are each as
 defined for R^5 and R^6 , $n = 0$ or 1 and the a and b positions serve as attachment points.


Claim 21 (Currently Amended): The process as claimed in claim 20, ~~characterized in~~
 that wherein in each case two adjacent R^{18} to R^{23} radicals together form a fused substituted or
 unsubstituted, aromatic, heteroaromatic, aliphatic, mixed aromatic-aliphatic or mixed
 heteroaromatic-aliphatic ring system.

Claim 22 (Currently Amended): The process as claimed in claim 17, ~~characterized in~~
 that wherein


W is a radical of general formula (4):




~~where~~ wherein u is a divalent group selected from radicals of formulae (5a), (5b) and (5c)



(5a)



(5b)




(5c)

in which R^{24} , R^{25} , R^{26} and R^{27} are the same or different and are each as defined for R^1 , and
 the a and b positions serve as attachment points.


Claim 23 (Currently Amended): The process as claimed in claim 22, ~~characterized in that wherein~~ two adjacent R^{24} to R^{27} radicals together form a fused substituted or unsubstituted, aromatic, heteroaromatic, aliphatic, mixed aromatic-aliphatic or mixed heteroaromatic-aliphatic ring system.

Claim 24 (Currently Amended): The process as claimed in claim 17, ~~characterized in that wherein~~


R represents radicals of general formulae (6a), (6b) and (6c):



(6a)



(6b)



(6c)

~~where~~ wherein R^{28} and R^{29} are the same or different and are each as defined for R^1 ,

x, y, z and W are each defined as specified and


m = 0 or 1, n = 0 or 1, k = 0 or 1, l = 0 or 1,

and the position a serves as the attachment point.

Claim 25 (Currently Amended): The process as claimed in claim 15, ~~characterized in that wherein~~ the metal of groups 4 to 10 of the Periodic Table is selected from the group consisting of rhodium, platinum, palladium, cobalt and ruthenium.

Claim 26 (Currently Amended): The process as claimed in claim 15, ~~characterized in that wherein~~ further phosphorus ligands are present.


Claim 27 (Currently Amended): A process for making a compound, comprising:
~~hydrocyanation, isomerization of olefins or amidocarbonylation~~ hydrocyanating,
isomerizing of an olefin or amidocarbonylating in the presence of heteroacylphosphines of formula (1)



(1)

or metal complexes thereof,
~~where~~ wherein R¹, R², R³, R⁴ and q are the same or different and are each a substituted or unsubstituted aliphatic, alicyclic, aromatic, heteroaromatic, mixed aliphatic-alicyclic, mixed aliphatic-aromatic, heterocyclic, mixed aliphatic-heterocyclic hydrocarbon radical having from 1 to 70 carbon atoms, H, F, Cl, Br, I, -CF₃, -CH₂(CF₂)_jCF₃ ~~where~~ wherein j = 0-9, -OR⁵, -COR⁵, -CO₂R⁵, -CO₂M, -SiR⁵₃, -SR⁵, -SO₂R⁵, -SOR⁵, -SO₃R⁵, -SO₃M, -SO₂NR⁵R⁶, -NR⁵R⁶, -N=CR⁵R⁶, ~~where~~ wherein R⁵ and R⁶ are the same or different and are each as defined for R¹, and M is an alkali metal ion, formally half an alkaline earth metal ion, an ammonium or phosphonium ion, x, y, z are each independently O, NR⁷, S, ~~where~~ wherein R⁷ is as defined for R¹.


Claim 28 (Currently Amended): A process for carbonylation in the presence of a heteroacylphosphite of formula (1)



(1)

or metal complexes thereof,

where wherein R^1 , R^2 , R^3 , R^4 and q are the same or different and are each a substituted or unsubstituted aliphatic, alicyclic, aromatic, heteroaromatic, mixed aliphatic-alicyclic, mixed aliphatic-aromatic, heterocyclic, mixed aliphatic-heterocyclic hydrocarbon radical having from 1 to 70 carbon atoms, H, F, Cl, Br, I, $-CF_3$, $-CH_2(CF_2)_jCF_3$ where wherein $j = 0-9$, $-OR^5$, $-COR^5$, $-CO_2R^5$, $-CO_2M$, $-SiR^5_3$, $-SR^5$, $-SO_2R^5$, $-SOR^5$, $-SO_3R^5$, $-SO_3M$, $-SO_2NR^5R^6$, $-NR^5R^6$, $-N=CR^5R^6$, where wherein R^5 and R^6 are the same or different and are each as defined for R^1 , and M is an alkali metal ion, formally half an alkaline earth metal ion, an ammonium or phosphonium ion, x , y , z are each independently 0, NR^7 , S, where wherein R^7 is as defined for q , and x , y , z are not simultaneously 0, with the proviso that when q has a radical which has a structural formula (6c)



(6c)

~~where~~ wherein the R^1 to R^4 radicals are each as defined for formula (1), x^1 , y^1 , z^1 are each independently O, NR^7 , S, ~~where~~ wherein R^7 is as defined for q, T is an oxygen or an NR^{30} radical, ~~where~~ wherein R^{30} is as defined for q, and the a position serves as the attachment point, x and x^1 must not simultaneously be N and

x must not be N when T is NR^{30} .